

# The Description of LB5000 Stationary Asphalt Mixing Plant:

1. The LB 5000 Stationary Asphalt Mixing Plant is independently researched, developed and designed by Ya-long based on summarizing years of experience in development and production and taking the advantages of domestic and oversea similar products under the premise of striving for improving the technical contents and service performance to fully meet the requirements of users.
2. The design idea of the equipment is mainly reflected by “high efficiency, reliability, environmental protection, energy saving and beautiful appearance;
3. The unique design of double-horizontal-shaft mixer ensures the high-efficiency productivity;
4. The control system has more powerful functions, more advanced performance, stability and reliability due to adoption of global well-known hardware systems in quantity;
5. The indexes for environmental protection, such as dust and exhaust emission, noise control, etc., which has reached the global advanced level;
6. The optimized thermo-motive design of the system utilizes the energy high-efficiently and reasonably, so that the energy loss is reduced to the minimum;
7. The equipment has beautiful appearance, novel structure, compact layout, saved space, and convenient and rapid installation and transportation due to the integral modularized design, and it can completely meet the construction requirements for pavements of expressways, airports, ports, water conservancy, etc. at home and abroad.



## The Customer Service of LB4000 Stationary Asphalt Mixing Plant:

1. Haomei is recognized by the industry with high-quality services while providing high-quality products for customers.
2. The Company has a virtuous professional service team with skilled technologies, which is ready to provide high-quality services for users so as to meet the users' demands.
3. Facing market competition and social development, Haomei raises the service quality and level fully based on the starting point of "The Users' Benefit Takes The First Place", and has made service charters take "Life-long Follow-up Service" as core.
4. For those achievements, Haomei will provide more excellent services to return customers and society.

## The Technical Parameters of LB4000 Stationary Asphalt Mixing Plant:

|                              |                |        |
|------------------------------|----------------|--------|
| Type                         | LB4000         |        |
| Production Capacity(t/h)     | 320            |        |
| Production Capacity(t/h)     | 895            |        |
| The Weighing Accuracy(%)     | Aggregate      | ±0.5%  |
|                              | Powder         | ±0.3%  |
|                              | Bitumen        | ±0.25% |
| Mixer Rated Capacity         | 4000           |        |
| Drying Drum (Dia×Length)     | 2.8×11         |        |
| Storage Bin Type             | Side/Down type |        |
| The Volume Of Storage Bin(T) | 200            |        |

